

Efforts to use Ka-band radars for continuous probing of precipitation

**Arunchandra, Chidong Zhang
and Pavlos Kollias**

Acknowledgements

Dr. Wanda Szymer, McGill University

Dr. Sergey Matrosov, NOAA

ASR Fall meeting, 2013

Warm Low Cloud Case 1: AMIE-Gan/Manus MJO Inactive Phases

Arun Arunchandra, Min Deng, Zhe Feng, Matthew Janiga,
Pavlos Kollias, Chuck Long, David Zermeno, Chidong Zhang

ASR Fall meeting, 2013

Issues Related to Warm Low Cloud in Tropical Convective Regimes

- **Part of the continuum in the cloud life cycle**
- **Potential roles in moistening and heating the lower troposphere**
- **Large uncertainties in quantifying precipitation**
- **Unquantified entrainment and detrainment rates**
- **New products of combined instruments**

CINDY/DYNAMO Field Campaign (Oct 2011-Mar 2012)



Falcon



S-PolKa



SMART-R



AMF2




ISS



P-3



Sounding Network



R/V B. Jaya-III



R/V R. Revelle




R/V S. Kanya




R/V Mirai




TRMM_3B42RT Precipitation [mm/hr]

Average Lat: 10°S - 10°N






Instrument setup during DYNAMO



KAZR: 8.66 mm
 SMARTR- 5cm
 S-POL-10 cm



Shallow clouds variation from KAZR from Nov 1 to 15 with the daily surface rain rate



Daily shallow vs. deep convective area coverage and rain rate

The echoes are convective echoes only, shallow/deep is defined using 0dBZ top below/above 5km.

Both area coverage and rain rate are divided by domain area (i.e. Normalized the same way).



Tropical cloud system as a cloud-precipitation continuum

